



Facility Permit Inspection

Name of Licensee: _____

License #: _____

Date: _____

Facility Address: _____

Name of Inspector: _____

Oxygen Delivery Systems- Den 304.07 (a) (1)			
Requirement	Yes	No	
Portable O ₂ tank			
Bag valve mask with connector tubing for O ₂ tank			
Nasal cannula or oxygen mask with connector tubing for O ₂ tank			
Suction Equipment- Den 304.07 (a)(2)			
Requirement	Yes	No	
Capable of suctioning the throat in all operatories and recovery rooms			
Yankauer suction tip with connector for suction unit			
Transportation Equipment- Den 304.07 (a)(3)			
Requirement	Yes	No	
Wheelchair			
Vital Signs Monitoring Equipment- Den 304.07 (a)(4)			
Requirement	NA	Yes	No
Continuous pulse oximeter			
Blood pressure monitor with cuffs for adult patients*			
Blood pressure monitor with cuffs for patients under 13*			
Defibrillator Equipment- Den 304.07 (a) (5)			
Requirement	NA	Yes	No
Manual or automated external defibrillator (AED)			
Unexpired batteries for defibrillator or AED, if battery powered			
Log maintained documenting monthly inspection for defibrillator or AED functionality			
Unexpired adult defibrillator pads that connect to the facility's defibrillator or AED			
Unexpired pediatric defibrillator pads that connect to the facility's defibrillator or AED for patients under 13			

*Ability to Monitor Blood Pressure



STATE OF NEW HAMPSHIRE
OFFICE OF PROFESSIONAL LICENSURE AND CERTIFICATION
BOARD OF DENTAL EXAMINERS
7 EAGLE SQUARE, CONCORD, NH 03301-4980
Telephone: 603-271-2152
TDD Access: Relay NH 1-800-735-2964
www.oplc.nh.gov

Auxiliary Light Source- Den 304.07 (a) (6)			
Requirement	Yes	No	
Auxiliary light source capable of use during power failure	<input type="checkbox"/>	<input type="checkbox"/>	
Rigid CPR Board- Den 304.07 (a) (7)			
Requirement	Yes	No	
Rigid CPR Board	<input type="checkbox"/>	<input type="checkbox"/>	
Staffing Requirements- Den 304.07 (a) (8)			
Requirement	NA	Yes	No
Operating Dentist BLS certification	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Operating Dentist ACLS Certification	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Operating Dentist PALS certification if patients under age 13 are treated at facility	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Dental Assistant with current BLS Certification on staff for procedure	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Additional Personnel available to call 911	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Appropriate staffing on site, as described in Den 304.08	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Oxygen & Gas Delivery Systems- Den 304.07 (b) (1)			
Requirement	Yes	No	
Oxygen fail-safe valve on anesthesia machine or N ₂ O flow meter if administered	<input type="checkbox"/>	<input type="checkbox"/>	
Size-dissimilar fittings, varied hose sizes, and colored tubing and hoses for oxygen, nitrous oxide, and medical air if used	<input type="checkbox"/>	<input type="checkbox"/>	
Suction Systems- Den 304.07(b)(2)			
Requirement	Yes	No	
Pulmonary suction catheter with connector tubing able to be connected to suction unit or vacuum system.	<input type="checkbox"/>	<input type="checkbox"/>	
Portable suction device able to be used during power failure	<input type="checkbox"/>	<input type="checkbox"/>	
Airway Devices- Den 304.07 (b)(3)			
Requirement	NA	Yes	No
Endotracheal tubes (ETT) with stylets for adult patients	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Endotracheal tubes with stylets for patients under 13 years of age	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Syringe for ETT cuff inflation	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ambu bag and connector tubing to enable ETT to be connected to oxygen tank and deliver positive pressure	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Video laryngoscope with blades of various sizes for adult patients	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Video laryngoscope with blades of various sizes for patients under 13 years of age	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Extra batteries for laryngoscope	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Extra bulbs for laryngoscope, if applicable	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Magill forceps	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Tongue grasping forceps	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Oral airways for adult patients	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Oral airways for patients under 13 years of age if treated at the facility	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Nasopharyngeal airways for adult patients	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Nasopharyngeal airways patients under 13 years of age if treated at the facility	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>



STATE OF NEW HAMPSHIRE
OFFICE OF PROFESSIONAL LICENSURE AND CERTIFICATION
BOARD OF DENTAL EXAMINERS
7 EAGLE SQUARE, CONCORD, NH 03301-4980
Telephone: 603-271-2152
TDD Access: Relay NH 1-800-735-2964
www.oplc.nh.gov

Supraglottic airways (such as Laryngeal Mask Airways or King Airways) for adult patients			
Supraglottic airways (such as Laryngeal Mask Airways or King Airways) for patients under 13 years of age			
Emergency cricothyrotomy kit with connector tubing able to be connected to bag valve mask and oxygen tank			
Vital Signs Monitoring Equipment in Operatories- Den 304.07 (b) (4)			
Requirement	Yes	No	
Continuous electrocardiogram			
Capnography			
Stethoscope			
Accessory Supplies And Emergency Medications- Den 304.07 (b) (5)			
Requirement	Yes	No	
Disposable angiocatheters, tourniquets, and tape for IV catheter placement			
IV tubing and IV fluids			
Disposable needles and syringes for medication draw up and delivery			
Epinephrine 1:10,000 for cardiac arrest			
Epinephrine 1:1,000 for allergic reaction			
Direct or indirect acting pressor for hypotension			
Antiarrhythmic for cardiac arrest			
Adenosine for tachycardia			
Naloxone for opioid reversal			
Flumazenil for benzodiazepine reversal			
Antihypertensive for acute hypertension			
Steroid injection for allergic reaction			
Dextrose injection for hypoglycemic reversal			
Atropine for bradycardia			
Diphenhydramine injection for allergic reaction			
Neuromuscular blocker with rapid onset for laryngospasm			
Albuterol inhaler for bronchospasm			
Benzodiazepine injection for seizure			
Immediate-release non-enteric coated aspirin for acute coronary syndrome			
Sublingual nitroglycerin for acute coronary syndrome			
ONLY NEEDED IF PROVIDER WILL BE ADMINISTERING INHALED VOLATILE ANESTHETICS, OR SUCCINYLCHOLINE IF ON A ROUTINE BASIS - Den 304.07 (c)			
Requirement	NA	Yes	No
Oxygen and gas delivery system also with anesthetic gas analyzer if inhaled volatile anesthetics are used			
Dantrolene injection for malignant hyperthermia			
Sterile water for dantrolene diluent			



STATE OF NEW HAMPSHIRE
OFFICE OF PROFESSIONAL LICENSURE AND CERTIFICATION
BOARD OF DENTAL EXAMINERS
7 EAGLE SQUARE, CONCORD, NH 03301-4980
Telephone: 603-271-2152
TDD Access: Relay NH 1-800-735-2964
www.oplc.nh.gov

For Inspector's Use Only

Deficiencies:

Correction Plan:

Signature: _____

Date: _____

DRAFT